



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

He adds, that from *Maſſricht* alſo 'twas written, that with the ſame liquor the blood of a leg had been ſtopp'd, the half of which had been carry'd away by a Canon-bullet.

Illuſtriſſimi ſuſſii modus, quo demonſtrat Methodum ſuam ducendi Tangentes ad quaſlibet Curvas abſq; calculo, antehac traditam in horum Actorum N^o. 90.

—DE *Clar. Viri* *Methodo* nihil aliud dicere poſſum, niſi mihi videri meam eſſe, quâ nempe tot ante annos uſus ſum, & cujus ope flexus Curvarum contrarios ac Problematum limites oſtendi tum in *Miſcellaneis meis*, tum etiam in literis, ſi rectè memini, olim ad te datis. Quâ viâ in illam inciderit, & quomodo illam demonſtret vir doctiſſimus, ab ipſo intelligere poteris: Ego ſanè paucis, ut aliàs ad Te ſcripſi, & vulgò notis, Lemmatibus rem abſolvo; atque, ut candidè Tecum agam, ecce ipſa Lemmata;

1. *Differentia duarum dignitatum ejusdem gradûs applicata ad differentiam laterum, dat partes ſingulares gradûs inferioris ex binomio laterum*; Ut $y^{\frac{3}{2}} - x^{\frac{3}{2}} = y y^{\frac{1}{2}} + y x^{\frac{1}{2}} + x x^{\frac{1}{2}}$. Legitur hoc apud pleroſque & faciè oſtenditur.

2. Tot ſunt partes ſingulares ex binomio in gradu quolibet, quot unitates habet Exponens dignitatis immediatè ſuperioris; tres nimirum in Quadrato, quatuor in Cubo, &c. Et hoc vulgò notum.

3. Si quantitas eadem applicetur ad duas alias, quarum ratio data ſit, Quotientes erunt reciproci in eadem ratione data, Quod quidem evidens eſt vel cuilibet Arithmeticæ candidato.

His Lemmatibus methodus mea demonſtratur: Nee multum temporis Tibi erit impendendum, ut demonſtrationem ex illis concinnes, cùm eo ordine à me diſpoſita ſint, qui ad illum quaſi manum ducit. Plura ſcribere me vetat temporis brevitās, Vale, meque ut ſoles ama, Dabam Leodii 3. Maii 1673.